


2015

GeraFold pro-line

Off-line folding solutions for demanding professionals

The perfect tools designed for users looking for innovative, performing, reliable and durable finishing solutions

- GeraFold 206 - *Desktop solution*
- GeraFold 212 - *Pro-solution*
- GeraFold 218 - *Pro-system*
- GeraFold 218 Cut - *Pro-system*





GeraFold Pro-line

*Off-line folders & trimmers program designed to satisfy the needs of demanding professionals looking for flexible solutions able to meet a variety of specifications from CAD, Graphic plots to Maps or letters. **GeraFold Pro-Line** provides folded documents meeting all requirements. Some models allow trimming operation with the same equipment maximizing investment, space and productivity.*

Off-line folding solutions for demanding Professionals

- Off-line Professional folders with trimming device option
- Suitable for any need of finishing: CAD drawings, Maps or Graphics
- Pre-set programs or free folding set up thanks to intuitive Touch Screen control board

New design, rounded edges, elegant shapes and colors for a complete line of Desktop or Freestanding folders conceived for office environment

GeraFold 206

Desktop folder designed to fold documents into A4/A (210x297). With a small budget and minimal space occupation it is possible to handle folding operation in house and be able to face picks of work without spending extra time folding your documents by hand.

GeraFold 212

Freestanding professional equipment designed to fold 8 styles including 2 Map patterns, tri-fold graphics at unlimited length at 12 m/min speed. Gerafold 212 represents the best price-performance combination for those organizations looking for a versatile solution

Option: Trimming device

GeraFold 218

Freestanding professional folding equipment designed to fold in 12 styles plus unlimited Map patterns. Unlimited copy length at 20 m/min speed. Gerafold 218 with extra large table (foldable to reduce space) and **touch screen** control, represents the best option for those who are looking for a versatile and highly productive solution.

Option: Trimming device

Gerafold 218 Cut

Freestanding professional folding & Cutting equipment incorporating all features of GeraFold 218 and offering the possibility to trim documents in its standard configuration. A unique **all-in-one** solution which allows multiple job within the same space.

Trimming Device: Standard




Round edges



Large foldable table



Touch Screen control



Trimming device



Gera srl
Strada del Cascinotto 132
10156 Turin – Italy
Phone +39 011 223.91.37
Email welcome@gera.it

Pro-system

*Gera focus has always been in providing **compact** and **smart finishing solutions**. Keeping this in mind the new **GeraFold Pro-Line** offers the possibility to include the **trimming** operation into the off-line folder and offers a brand **new touch screen control board** to ease folding operations and technical support*

Versatility, performance & productivity

- **Manual Cutting device option** allowing trimming of documents
- **Same space occupation** for folding & cutting operations
- **Intuitive Touch Screen control board**

A smart “all-in-one” off-line finishing solution with additional benefits

Manual Trimmer

The **manual cutter** has been designed to allow trimming of documents while folding. The A4/A package is obtained as follows.

1. **Trim** the copy lead and trail edge
2. **Fan fold** the trimmed document
3. **Trim** fan-folded package side edges
4. **Cross fold** to obtain A4/A package

Key benefits

- **Ease of operation** and handling
- **Space:** trimmer & off-line folder within the same footprint
- **Time:** next trim can be handled during folding process
- **Investment:** one product instead of two that could be purchased at the same time or added later
- **Available:** as option on Gerafold 212 and Gerafold 218, Standard on Gerafold 218Cut


Touch Screen

The new **Touch screen** control brings additional value in terms of:

1. **Easy** selection of standard programs
2. **Customization** of folding styles
3. **Video & Picture** operator's guide
4. Video instructions for **installation** and **service** procedures

Key benefits


- **Ease** operator use and technical support
- **Versatile:** allows full customization of Map & Graphic fold
- **Quick set up:** folding programs and styles are fast and easily adapted to requirements
- **Intuitive:** easy to navigate thanks to self-explanatory graphic commands
- **Useful remote support** for technical engineers
- **Available with:** Gerafold 218 and Gerafold 218Cut



Manual Cutter



Option to be placed on top



Trimming device



Touch Screen control



Gera srl
Strada del Cascinotto 132
10156 Turin – Italy
Phone +39 011 223.91.37
Email welcome@gera.it

GeraFold 206

- Desktop unit can be easily placed on an a desk
- Folds any document into A4/A package
- Folding speed: 4.5 A0/E size per minute
- Suitable for any professional office

Compact desktop solution

Desktop folder designed to fold documents into A4/A letter size. With a small budget and minimal space occupation it is possible to handle folding operation in house and be able to face picks of work without allocating extra time to fold documents by hand.

Main Characteristics

- Professional folder for engineering offices.
- Exceptional price/performance ratio
- Outstanding fold precision
- Fan fold & cross fold in 2 steps
- Maximum fan folding length 2,5 meters
- Cross folding up to 2 folds
- Plug & play device, easy to use & maintain
- Silent and Reliable



- **Speed** 6 m/min 4,5 A0/min
- **Process** Fan and cross folding in two steps
- **Fan Step** 210 mm
- **Cross Step** 297 mm

Features



- **Copy:**
 - **Length** min: 410 mm max: 2,5meters
- **Width** min 297 - max 920mm
- **Plain paper** 75-90g/m²
- **Weight** 56 kg
- **Dimensions** 400x1140x400 mm
- **Power** 230/115Vac 125 W

Technical requirements



Gera srl
Strada del Cascinotto 132
10156 Turin - Italy
Phone +39 011 223.91.37
Email welcome@gera.it

GeraFold 212

- **Freestanding** unit with **2 collection baskets**
- Folds documents of **unlimited length**
- **Versatile** solution folds CAD documents, Graphic Plots, Maps and A4/A into tri-fold
- Unique solution with **trimming option**
- Folding speed: 9 A0/ E size per minute
- Suitable for any professional office or Reproshop

Free-standing Pro solution

Versatile folder that provides wide format CAD, Graphic documents and Maps automatically folded in a variety of formats. The new design with rounded edges and the possibility to add a trimming device makes this product unique

Main Characteristics

- Professional freestanding folder
- Perfect for engineering offices and print shops
- Productive with outstanding fold precision
- Unlimited fan folded length by module of 4 meters
- **Special Fold** programs: such as A4/A TriFold , MapFold and a wide fold-panel range
- Fan fold & cross fold in 2 steps
- Cross folding up to 3 folds and thickness up to 8 panels.
- Plug & play device, easy to use & maintain
- Silent and Reliable




- **Speed** 12 m/min 9 A0/min
- **Process** Fan and cross folding in two steps
- **Fan Fold** 210/190 mm
- **Cross fold** 297 / 300 / 305 mm
- **Margin:** 20 mm

Features



- **Copy:**
- **Length** min: 410 mm - max: unlimited
- **Width** min 270 - max 920mm
- **Plain paper** 60-110g/m²
- **Weight** 78kg
- **Dimensions** 630x1140x970mm
- **Power** 230/115Vac 125 W

Technical requirements



Trimming device Option



Gera srl

Strada del Cascinotto 132

10156 Turin - Italy

Phone +39 011 223.91.37

Email welcome@gera.it

GeraFold 218

- Freestanding unit with 2 collection baskets
- **Large table** to support constant workflow
- Space saver **tiltable table**
- Suitable for a wide range of folding requirements
- Folds documents of **unlimited length**
- Unique **touch screen** control board
- Folding speed: **15 A0/E size per minute**
- Suitable for any professional office or Reproshop

High speed Pro-system

Professional folder with extra large table allowing uninterrupted workflow and touch screen control panel. Designed to fold automatically a wide range of documents at high speed with outstanding quality. The best option for those who are looking for a highly productive solution

Main Characteristics

- Professional freestanding folder
- **Superior productivity** thanks to the large table designed to support uninterrupted operator's workflow at high folding speed
- Unlimited fan folded length by module of 4 meters
- **Customizable folding** programs & styles for special requirements by **Touch Screen**
- Fan fold & cross fold in 2 steps
- Cross folding up to 3 folds and thickness up to 8 panels.
- Plug & play device, easy to use & maintain
- Silent and Reliable





- **Speed** 20 m/min 15 A0/min
- **Fan Fold** 185-190-198-210-220-297 mm
7"-7,5"-8,5"- 9"-10"-11"
- **Cross fold**
 - 105, 210, 297, 300mm
 - 8,5" (216), 9" (228), 11" (279), 12" (305)
- Margin: 0 - 30 mm Customizable

Features



- **Copy :**
 - **Length** min: 410 mm - max: unlimited
 - **Width** min 270mm - max 920mm
 - **Plain paper** 60-110g/m²
 - **Weight** 125 kg
 - **Dimensions** 1310 x 1140 x 960 mm
 - **Power** 230/115Vac 265 W

Technical requirements



Trimming device Option



Gera srl
Strada del Cascinotto 132
10156 Turin - Italy
Phone +39 011 223.91.37
Email welcome@gera.it

GeraFold 218 Cut

- Manual **Cutting device** for trimming operations
- **Large table** to support constant workflow
- Space saver **tiltable table**
- Suitable for a wide range of folding requirements
- Folds documents of **unlimited length**
- Unique **touch screen** control board
- Folding speed: **15 A0/E size per minute**
- Suitable for any professional office or Reproshop

All-in-one Pro-system for folding & trimming operations

Professional folder with extra large table allowing uninterrupted workflow, manual trimmer and touch screen control panel. Designed to fold automatically and trim manually a wide range of documents at high speed with outstanding quality. The best option for those who are looking for a versatile and highly productive solution

Main Characteristics

- Professional freestanding folder & cutter
- **Superior productivity** thanks to the large table designed to support uninterrupted operator's workflow at high folding speed
- Unlimited fan folded length by module of 4 meters
- **Customizable folding** programs & styles for special requirements by **Touch Screen**
- Fan fold & cross fold in 2 steps
- Cross folding up to 3 folds and thickness up to 8 panels.
- Plug & play device, easy to use & maintain
- Silent and Reliable




- **Speed** 20 m/min 15 A0/min
- **Fan Fold** 185-190-198-210-220-297 mm
7"-7,5"-8,5"-9"-10"-11"
- **Cross fold**
 - 105, 210, 297, 300mm
 - 8,5" (216), 9" (228), 11" (279), 12" (305)
- Margin: 0 - 30 mm Customizable

Features



- **Copy :**
 - **Length** min: 410 mm - max: unlimited
 - **Width** min 270mm - max 920mm
 - **Plain paper** 60-110g/m²
 - **Weight** 135 kg
 - **Dimensions** 1310 x 1140 x 960 mm
 - **Power** 230/115Vac 265 W

Technical requirements



Trimming device Standard



Gera srl
Strada del Cascinotto 132
10156 Turin - Italy
Phone +39 011 223.91.37
Email welcome@gera.it

Technical Specifications

| | Gerafold 206 | Gerafold 212 | Gerafold 218 | Gerafold 218 Cut |
|--------------------------|--|--|---|---|
| |  |  |  |  |
| Product code | M206PROL | M212PROL | M218PROL | M218PROT |
| Table | No | 900x400 mm | Large size 900x1000 mm , foldable | Large size 900x1000 mm , foldable |
| Folder foot print | Depth 400 mm | Depth 630 mm | Depth 560 + 750 mm | Depth 560 + 750 mm |
| | Width 1140 mm | Width 1140 mm | Width 1140 mm | Width 1140 mm |
| | Height 400 mm | Height 970 mm | Height 960 mm | Height 1010 mm |
| Copy length meter | | | | |
| Fan Fold | Min. 410 mm - Max 2,5m | Min. 410 mm - Max. unlimited by module of 4 m | Min. 410 mm - Max. unlimited by module of 4 m | Min. 410 mm - Max. unlimited by module of 4 m |
| Cross Fold | Max. 1,2 m - A0 | up to 1,68 m - 2 A0 | up to 1,68m - 2 A0 | up to 1,68m - 2 A0 |
| Paper | | | | |
| weight | 75-90 g/m ² | 60-110g/m ² (maps 160 g/m ²) | 60-120 g/m ² | 60-120 g/m ² |
| Width | Min 297 - Max 920mm | Min 270 - Max 920mm | Min 270 - Max 920mm | Min 270 - Max 920mm |
| Noise | 59 dBA | 59 dBA | 64 dBA | 64 dBA |
| Speed | 4,5 A0/min 6 m/min | 9 A0/min 12 m/min | 15 A0/min 20 m/min | 15 A0/min 20 m/min |
| Programs | DIN C 210x297mm | DIN A 190+20margin x297mm DIN B 190x297mm DIN C 210x297mm Tri-Fold: A4 split in 3 210x305mm Afnor 297mm Afnor 210mm Map fold 105mm x 8 panels | DIN A 190+20margin x297mm DIN B 190x297mm DIN C 210x297mm TAB 198 x 297mm 210x305mm 185mm x297mm 185mm+25margin x297mm Afnor 297x210mm ANSI 7.5"x11" ANSI 7.5"+1"margin x11" ANSI 8.5"x11" Arch 9" x 12" Map fold - Fully Customizable 185-190-198-210-220-297 mm 7"-7,5"-8,5"-9"-10"-11" 105, 210, 297, 300mm 8,5"(216),9"(228),11"(279),12"(305) | DIN A 190+20margin x297mm DIN B 190x297mm DIN C 210x297mm TAB 198 x 297mm 210x305mm 185mm x297mm 185mm+25margin x297mm Afnor 297x210mm ANSI 7.5"x11" ANSI 7.5"+1"margin x11" ANSI 8.5"x11" Arch 9" x 12" Map fold - Fully Customizable 185-190-198-210-220-297 mm 7"-7,5"-8,5"-9"-10"-11" 105, 210, 297, 300mm 8,5"(216),9"(228),11"(279),12"(305) |
| Fan Fold | 210 mm | 210-190 mm | 185-190-198-210-220-297 mm 7"-7,5"-8,5"-9"-10"-11" | 185-190-198-210-220-297 mm 7"-7,5"-8,5"-9"-10"-11" |
| Crosss Fold | 297 mm | 210, 297, 305mm | 105, 210, 297, 300mm 8,5"(216),9"(228),11"(279),12"(305) | 105, 210, 297, 300mm 8,5"(216),9"(228),11"(279),12"(305) |
| Panel Mode* | A | A, D | A,B,C,D | A,B,C,D |
| Margin | not available | 20 mm (pre-set) | 0 to 30 pre-set & customizable | 0 to 30 pre-set & customizable |
| MAP Pattern | | 99mm x 3 panels 105mm x 8 panels | Adjustable 90 to 420 mm panels 2 to 10 | Adjustable 90 to 420 mm panels 2 to 10 |
| Customize program | No | No | By user Touch screen | By user Touch screen |
| Graphic plots | No | Yes (see Gera Brochure) | Yes (see Gera Brochure) | Yes (see Gera Brochure) |
| Trimming Option | No | Optional: G200XXXT | Optional: G200XXXT | Standard |
| Control Board | No | LED | Touch screen | Touch screen |
| Weight | 56 kg - 123 lb | 78 Kg - 172 lb | 125 Kg - 275 lb | 135 Kg - 298 lb |
| Power | 230/ 115Vac 50 /60 Hz 125 W | 230/ 115Vac 50 /60 Hz 125 W | 230/ 115 Vac 50 /60 Hz 265W | 230/ 115 Vac 50 /60 Hz 265W |
| * Panel Mode | A, First full last not full  | B, First full last full  | C, Half first last full  | D, First full, last full + margin  |
| Warranty | 90 days | 12 months | 12 months | 12 months |

The information contained herein is subject to change without notice. The only warranties for GERA products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. GERA shall not be liable for technical or editorial errors or omissions contained herein. Rev. June 2015

Gera srl
Strada del Cascinotto 132
10156 Turin - Italy
Phone +39 011 223.91.37
Email welcome@gera.it

Reseller

arjet

ארג'ט דיגיטל בע"מ
קרית מדע 5 (הר חוצבים) ירושלים 97776
ת.ד. 9258, ירושלים, 91092

טל: 050-5236745 | ניד: 02-6790329 | פקס: 02-6785115

www.arjet.co.il | info@arjet.co.il

